

ናሲኤሳሆን

EMERGENCY HET KIT.

HET KIT.07. C – NASSUP.LTD.

USER MANUAL.

CONTENTS.

- ◆ RECOMMENDED USES.
- ◆ RECOMMENDED USES – DETAILED.
- ◆ WARNINGS & HAZARDS.
- ◆ KIT DIAGRAM.



EMERGENCY HET KIT - RECOMMENDED USES.

THE INDIVIDUAL IS ADVISED TO USE HET KIT AS INSTRUCTED. HOWEVER, ALL EMERGENCY SITUATIONS ARE UNIQUE AND HET KIT SHOULD BE USED ACCORDINGLY.

TAPE. BLACK PVC. USES – 2 MAIN. 1. TO COVER THE NIPPLES ON POSSIBLE HETERONORMATIVE GROUNDS. 2. TO PATCH A BREACH OF VITAL SHIP SUPPLY LINES.

VILE 1A. ALPHA SCENT. USES – 1MAIN, 1 SUB. 1.TO ESTABLISH A SAFE WORKING TERRITORY. 2. TO ASSERT DOMINANCE WITHIN A SOCIAL CIRCLE.

VILE 1B. RE-DNA SAMPLE. USES – 1 MAIN. SAMPLE WHICH WILL PROVIDE A 100% NORMAL RESULT THROUGH TESTING.

VILE 2. P.CON. ALSO KNOWN AS 'POWDER CONTROL'. USES – 1 MAIN. CONVERT ONE HETEROSEXUAL INTO A CULTURAL AID OF INFORMATION. EFFECTS EXPIRE AFTER 6 EARTH SOL.

PILL 1. GREEN. USES – 1 MAIN. 1. CLOSSES THE TAKERS MIND TO QUEER SPHERES. EFFECTS EXPIRE AFTER 13 EARTH SOL.

PILL 2. WHITE. USES – 1 MAIN, 2 SUB. 1. TERMINATES THE TAKER WITHIN 8 SECONDS. 2. HALF DOSE, TERMINATES THE TAKER IN 31 MINUTES. 3. DILUTED, USED AS BODY SAFE LUBRICANT.

PILL 3. RED. USES – 1 MAIN. RESETS BLOOD TIMELINE BY 92 EARTH SOL. UNDETECTABLE USE.

PILL 4. BLACK. USES – 1 MAIN. TO RID THE TAKERS BODY OF ANY CHEMICAL MODIFICATIONS CAUSED BY HET KIT.

BAGGIE. ZIP LOCK. BLACK. USES – 2 MAIN. 1. PROTECTS CONTENTS FROM GAS AND LIQUID. 2. PREVENTS CONTENTS FROM DETECTION UNDER X-RAY LIGHT.

MATCH 1. GOLD TIPPED. USES – 1 MAIN. CAUSES HETEROSEXUAL HIVE CHIPS TO DETONATE. 5 METER RADIUS. 5 SECOND FUSE.

MATCH 2. BLACK TIPPED. USES – 1 MAIN, 1 SUB. 1. CREATES FIST SIZE HOLE IN NEARBY WALL. 10 SECOND FUSE. 2. DILATES THE TAKERS PUPILS AND ENABLES LOW LIGHT VISION. EFFECTS EXPIRE AFTER 14 HOURS.

COIN. ONE HUMAN CREDIT. USES – 1 MAIN, 1 SUB. 1. EXCHANGE FOR 1 BALL POINT PEN AND 1 8.25 x 11.75 INCH CARD. 2. EXCHANGE FOR HUNGER SUPPLEMENT.

STAMP. ONE HUMAN POSTAGE CREDIT, SELF ADHESIVE. USES – 1 MAIN. 1.POSTAGE PAYMENT FOR EMERGENCY DISTRESS CALL.

MAP. TIME/LOCATION REFERENCE CARD, CLEAR. USES – 1 MAIN. 1. TO DISCOVER THE USERS ESTIMATED TIME AND LOCATION. +/- 10 ORBITS. +/- 10,000 MILES.

MIRROR. ACRYLIC. LIGHT WEIGHT. USES – 1 MAIN, 1 SUB. 1. REFLECT LIGHT TO ALERT NEARBY SHIP OF USER LOCATION. 2. SUITABLE SURFACE FOR PILL DOSE DIVIDING.



EMERGENCY HET KIT - RECOMMENDED USES – DETAILED

THE INDIVIDUAL IS ADVISED TO USE HET KIT AS INSTRUCTED. HOWEVER, ALL EMERGENCY SITUATIONS ARE UNIQUE AND HET KIT SHOULD BE USED ACCORDINGLY.

TAPE – PVC, BLACK.

<u>USES. 2 MAIN.</u>	<u>METHOD.</u>
1. TO COVER THE NIPPLES ON POSSIBLE HETERONORMATIVE GROUNDS.	UNROLL APPROXIMATELY 12CM OF TAPE. FOLD AND CUT IN HALF. LAYER ONE STRIP OF TAPE ACROSS THE NIPPLE. LAY A SECOND STRIP PERPENDICULAR ON TOP – MIDPOINT TO MIDPOINT. REPEAT FOR ALL NIPPLES.
2. TO PATCH A BREACH OF VITAL SHIP SUPPLY LINES.	COAT SUSPICIOUS LINES IN SOAPTEZ™, BUBBLES FORM AT FAULT'S LOCATION. PATCH FAULT USING TAPE. WAIT 6 MINUTES FOR TAPE TO CURE.

VILE 1A – ALPHA SCENT.

<u>USES. 1MAIN, 1 SUB.</u>	<u>METHOD.</u>
1. TO ESTABLISH A SAFE WORKING TERRITORY.	CREATE A THREE POINT PERIMETER, 4.58METERS APART. USING ONE DROP PLACED ON GROUND.
2. TO ASSERT DOMINANCE WITHIN A SOCIAL CIRCLE.	DILUTE TWO DROPS OF ALPHA SCENT IN 2500ML OF 32°C WATER. PLACE ONE DROP OF DILUTED MIXTURE ON BACK OF NECK EVERY MORNING.

VILE 1B – RE-DNA SAMPLE.

<u>USES. 1 MAIN.</u>	<u>METHOD.</u>
1. SAMPLE WHICH WILL PROVIDE A 100% NORMAL RESULT THROUGH TESTING.	CONCEAL SAMPLE UNDER TONGUE FOR AT LEAST TWO HOURS BEFORE TESTING TO ENSURE CORRECT BODILY TEMPERATURE. REMOVE FROM MOUTH AND PROVIDE SAMPLE AS IF YOUR OWN.

VILE 2 – P.CON.

<u>USES. 1 MAIN.</u>	<u>METHOD.</u>
1. CONVERT ONE HETEROSEXUAL INTO A CULTURAL AID OF INFORMATION. EXPIRE: 6 EARTH SOL.	DISSOLVE VILE CONTENTS IN A SMALL AMOUNT OF LIQUID FOR THE TARGET TO CONSUME. P.CON. CAN ALSO BE EFFECTIVE WHEN ABSORBED INTO THE BLOOD STREAM. E.G. VIA THE RECTUM, VIA THE NOSTRIL.

PILL 1 – GREEN.

<u>USES. 1 MAIN.</u>	<u>METHOD.</u>
1. CLOSES THE TAKERS MIND TO QUEER SPHERES. EXPIRE: 13 EARTH SOL.	SUPPOSITORY USE ONLY.



PILL 2 – WHITE.

<u>USES. 1 MAIN, 2 SUB.</u>		<u>METHOD.</u>
1.	TERMINATION. RESULT: 8 SECONDS.	USING EITHER THE ORAL OR ANAL CAVITY, SWALLOW PILL CONTENTS. DISSOLVABLE.
2.	TERMINATION (SLOW). RESULT: 31 MINUTES.	DIVIDE PILL CONTENTS INTO TWO. USING EITHER THE ORAL OR ANAL CAVITY, SWALLOW HALF PILL CONTENTS. DISSOLVABLE.
3.	BODY SAFE LUBRICATION.	DISSOLVE IN 500ML 22 °C WATER USING A WHISK. REST FOR 4 MINUTES.

PILL 3 – RED.

<u>USES. 1 MAIN.</u>		<u>METHOD.</u>
1.	RESETS BLOOD TIMELINE BY 92 EARTH SOL. UNDETECTABLE USE.	DISSOLVE IN ICY WATER FOR 6 HOURS. BOIL SOLUTION OVER A FLAME AND TRANSFEREE INTO SYRINGE. INJECT IMMEDIATELY INTO BLOOD STREAM.

PILL 4 – BLACK.

<u>USES. 1 MAIN.</u>		<u>METHOD.</u>
1.	TO RID THE TAKERS BODY OF ANY CHEMICAL MODIFICATIONS.	ORAL USE ONLY.

BAGGIE – ZIPLOCK, BLACK.

<u>USES. 2 MAIN.</u>		<u>METHOD.</u>
1.	PROTECTS CONTENTS FROM GAS AND LIQUID.	CONCEAL SENSITIVE ITEMS WITHIN. PRESS LOCK CLOSE.
2.	PREVENTS CONTENTS FROM DETECTION UNDER X-RAY LIGHT.	CONCEAL SENSITIVE ITEMS WITHIN. PRESS LOCK CLOSE.

MATCH 1 – GOLD TIPPED.

<u>USES. 1 MAIN.</u>		<u>METHOD.</u>
1.	CAUSES ALL HETEROSEXUAL HIVE CHIPS TO DETONATE WITHIN A 5 METER RADIUS. FUSE: 5 SECONDS.	STRIKE MATCH OFF HARD SURFACE TO LIGHT FUSE. MATCH WILL DETONATE ONCE FLAME HAS EXTINGUISHED. ALL HETEROSEXUAL HIVE CHIPS WILL EXPLODE WITHIN A 5 METER SPHERICAL RADIUS.



MATCH 2 – BLACK TIPPED.

<u>USES. 1 MAIN, 1 SUB.</u>		<u>METHOD.</u>
1.	CREATES FIST SIZE HOLE IN NEARBY WALL. FUSE: 10 SECONDS.	STRIKE MATCH IN A CIRCULAR MOTION IN DESIRED LOCATION. ONCE EXTINGUISHED WALL MATTER WILL DISPERSE INTO THE ATMOSPHERE.
2.	DILATES THE TAKERS PUPILS AND ENABLES LOW LIGHT VISION. EXPIRE: 14 HOURS.	BREAK MATCH IN HALF. DISCARD LOWER SECTION. STRIKE TOP HALF ON TONGUE AND INSERT INTO LEFT NOSTRIL. DO NOT REMOVE FOR 2 HOURS.

COIN – ONE HUMAN CREDIT

<u>USES. 1 MAIN, 1 SUB.</u>		<u>METHOD.</u>
1.	EXCHANGE FOR 1 BALL POINT PEN AND 1 8.25 x 11.75 INCH CARD.	APPROACH HUMAN 'SHOP' AND EXCHANGE FOR LETTER MAKING INSTRUMENTS – PEN AND PAPER. USE TO WRITE EMERGENCY S.O.S. (... ---...) LETTER.
2.	EXCHANGE FOR HUNGER SUPPLEMENT.	APPROACH A SOLIDS REHYDRATION MACHINE. INSERT COIN AND MAKE SELECTION. ENJOY.

STAMP – ONE HUMAN POSTAGE CREDIT, SELF ADHESIVE.

<u>USES. 1 MAIN.</u>		<u>METHOD.</u>
1.	POSTAGE PAYMENT FOR EMERGENCY DISTRESS CALL.	AFFIX TO TOP RIGHT ON EMERGENCY S.O.S. (... --- ...) LETTER. INSERT LETTER INTO RED OR YELLOW 'LETTER BOX' LETTER CHAMBER.

MAP. TIME/LOCATION REFERENCE CARD, CLEAR.

<u>USES. 1 MAIN.</u>		<u>METHOD.</u>
1.	TO DISCOVER THE USERS ESTIMATED TIME AND LOCATION. +/- 10 ORBITS. +/- 10,000 MILES.	POSITION THE MAP ONE ARM UNIT AWAY FROM THE EYE. LINE UP THE MARKINGS TO NEAREST ORBITING LIGHT SOURCE. ONE NOTCH AWAY FROM SOURCE DENOTES 1000 MILES. ONE DOT AWAY FROM SOURCE DENOTES +/- 2 ORBITS.














MIRROR – ACRYLIC, LIGHT WEIGHT.

<u>USES. 1 MAIN, 1 SUB.</u>		<u>METHOD.</u>
1.	REFLECT LIGHT TO ALERT NEARBY SHIP OF USER LOCATION.	HOLD PERPENDICULAR TO STATIONARY SHIPCRAFT. WAVE FURIOUSLY.
2.	SUITABLE SURFACE FOR PILL DOSE DIVIDING.	EMPTY CAPSULE ONTO REFLECTIVE SURFACE, USE MAP AS A TOOL TO CREATE LINES.



ናርሲንግ

WARNINGS & HAZARDS.

<u>NAME</u>	<u>WARNINGS</u>	<u>ACTION (REMEDY)</u>	<u>HAZZARD SYMBOLS</u>
TAPE.	OUTERS MAY PREJUDGE USER BY GENDERED STEREOTYPES.	USE VILE 1A.	
VILE 1A.	USER MAY BECOME BIGOTED PERMANENTLY.	TERMINATION.	
VILE 1B.			
VILE 2.			
PILL 1.			
PILL 2.			
PILL 3.			
PILL 4.			
BAGGIE.			
MATCH 1.			
MATCH 2.			
COIN.			
STAMP.			



<i>MAP.</i>			
<i>MIRROR.</i>			

